

RELATIVE MATURITY

- Fixed ear type that will favor higher plant populations
- Keep this hybrid in the northern region
- This hybrid will thrive in your better soils

21N78 RR2

RELATIVE MATURITY Roundup Ready

- Great root strength and extremely responsive to high-yielding environments and irrigation
- Dent-by-dent hybrid with fast drydown
- Plant at high populations for positive yield response
- Very solid late-season plant health for an early hybrid

77P79 VT2PR0

VTDoublepro

RELATIVE MATURITY

- Strong adaptability to northern soils
- This genetic package is sure to perform on your tough, variable and ideal soils
- The "Goldilocks of Stature" not too tall, not too short. Just right!

13Z80 CONV

RELATIVE MATURITY

- Incredible yield performance for our earliest conventional
- Up to 20 kernels around and girth not seen in older hybrids
- Average Goss's Wilt tolerance
- Strong defensive agronomics for most soil types
- · Open husk for quick fall drydown

DUAL-PURPOSE

70080 VT2PR0



RELATIVE MATURITY

- True game-changing yield performance for an 80-day hybrid
- Attractive late-season appearance
- Girthy ear with a loose, open husk
- Reliable product on variable and ideal soils

DUAL-PURPOSE

71V81 vt2PR0



- · Good girth and Goss's Wilt rating
- Ideal fit on tough and variable soils
- · Great stalk and roots for an extended harvest window
- · Very early to flower and reach black layer
- Versatile placement makes this cross a go-anywhere hybrid



RELATIVE MATURITY

81
DAY

- · Semi-flex ear with good high-density tolerance
- · Widely adapted with solid stalks and roots
- Early flowering with flared husks for dependable drydown
- Avoid drought-prone soils

NEW

19H83 CONV



- East to west across our region
- Very good Goss's Wilt tolerance, snap, roots and stalks
- Solid early vigor with very good drought tolerance
- Bulletproof consistency for placement on tough acres

DUAL-PURPOSE

22T83 RR2





- This Roundup Ready® Corn 2 cross can handle all soil types extremely well
- The consistent ear size maintains yield up and down the rows
- Greensnap stands no chance with this hybrid's stalk and root strength

DUAL-PURPOSE

74F83 VT2PRO





- Very good early vigor and drought tolerance
- · Broadly adapted across our east-to-west geography
- Best suited for tough and variable, low-producing acres

73S84 VT2PRO





- Excellent agronomics and a good choice for variable soils
- This hybrid displays strong emergence and seedling vigor
- A medium-statured plant with excellent stalk and root strength
- Very consistent ear development at various planting populations
- Impressive disease tolerance including Northern Leaf Blight and Goss's Wilt

DUAL-PURPOSE

13A85 CONV



- Above average stalk and root quality for harvest flexibility
- Medium-tall hybrid that is widely adapted east to west
- Late season staygreen makes for a great-looking hybrid
- Place this on that droughty piece of ground and see what happens
- Keep off salty soils

25K85 RR2



- · Exceptional stalk and root strength for maturity
- Excellent staygreen and intactness
- Outstanding top-end yield potential and fast drydown

75685 VT2PRO





- · Impressive performance across high- and low-yield environments
- Very adaptable hybrid with proven ability to move both south and west
- Flowers early and flares husk to enhance drydown
- Exhibits very good staygreen and intactness

78R85 VT2PRO/ASR





- · Higher top-end yielding hybrid with very girthy ears and fast drydown
- Medium-statured hybrid that moves well from central ND into MN
- Very good emergence with strong early vigor
- Uniform ear development with deep kernels
- Caution under drought conditions

16586 CONV



- Impressive top-end yield potential
- We love this medium-statured hybrid with very good stalks and roots
- We hate to use the term "Race Horse" but this one is

71P86 VT2PR0





- Very good plant vigor and good drought tolerance set this hybrid up for success
- Low-to-moderate populations excellent for maximizing your marginal acres
- Really nice agronomics with greensnap, Goss's Wilt tolerance and intactness
- · Girthy, semi-flex ear that holds up with western movement

76086 VT2PRO





- Very good stalk and root package
- · Good performance across tough environments for yield
- Strong Goss's Wilt rating
- This hybrid expresses a lot of girth





- Good for early planting and reduced tillage environments
- Excellent top-end yield for ideal and variable soils
- Extremely girthy ear and a solid stalk for highly-managed acres

NEV

79K88 VT2PRO





- · Medium-stature plant that goes across our footprint
- . The kind of solid agronomics that help you sleep at night
- Good staygreen, Goss's Wilt tolerance, drought, greensnap—this hybrid has it all
- Likes populations at 32-36K, but shows its ability to flex at 28K

13D91 conv



- Tremendous drought tolerance makes it a great option for "desert" fields
- Outstanding stalk and roots
- Very attractive hybrid with good fall appearance
- Steady yielder across all environments

1

64C89 PWERA





- Exciting new PowerCore® Enlist® with top-end yield
- · Very good Goss's Wilt and greensnap tolerance
- Semi-flex ear that adjusts well to all populations
- Good late-season intactness with open husk

DUAL-PURPOSE

74J89 VT2PRO





- · Impressive early vigor for the north
- Strong yield performance across all environments
- Upright leaf structure fits well in narrow rows
- · Good candidate for tough acres

DUAL-PURPOSE

74R89 VT2PRO



RELATIVE MATURITY

89
DAY

- Handles tough and variable environments across a wide footprint
- Performs well at low-to-moderate populations
- Solid agronomics across stalks, greensnap and early vigor
- Very good drydown

DUAL-PURPOSE





- Strong emergence and excellent seedling vigor that can handle cold soils
- Excellent top-end yield performance when kept in-zone and north
- Girthy, flex-ear style suited to all planting populations
- Avoid drought-prone soils

77H90 vt2pro/asr





- Very good early vigor; well suited to early planting
- Medium-statured hybrid
- · Average Goss's Wilt rating, so keep off those hot Goss's spots
- Solid agronomics with solid stalk and root ratings
- All-around hybrid place anywhere and forget about it



27F91 RR2





- Travels well east to west while maximizing yield potential across soil types
- · Well-rounded disease package, including Goss's Wilt
- Displays flex, along with open husks for quick drydown
- Dependable all-around hybrid that won't let you down

72A91 VT2PRO





- Showcases outstanding yield potential with a very good disease package
- Good ear flex and drydown with open husks
- Very good drought, greensnap and Goss's Wilt tolerance

74V91 vt2pro/asr





- Performs well in zone and south
- Strong agronomics and field appearance
- Good drought tolerance
- Fits perfectly in our lineup with variable and ideal soil placement

16592 CONV 26592 RR2 76592 VT2PRO





- Very good early season vigor with good stress tolerance
- Widely adapted across varying environments
- Will perform best in its maturity zone, but has good southern movement
- Fantastic yielding product with fast drydown

DUAL-PURPOSE

VTDoublePRO®



- Exceptional yield potential with strong agronomics and late-season plant health
- · Very good stalks and roots with above-average staygreen and intactness
- · Semi-flex ear style with deep kernels and good grain quality
- Excellent Goss's Wilt and Northern Leaf Blight tolerance

88K93 SMARTSTAX /ASR



RELATIVE MATURITY DAY

- SmartStax® option for your corn-on-corn acres
- High yield potential in low-yield environments
- Good test weight on large girthy ear with good tip fill
- Superior early vigor for reduced tillage situations
- Excellent choice for your silage acres

DUAL-PURPOSE

72094 VT2PRO



RELATIVE MATURITY DAY

- Taller plant with excellent agronomics and yield
- Consistent performance over your entire field
- Impressive stalk and roots, with late-season intactness and staygreen
- Dual-purpose hybrid with excellent silage potential
- Flared husk with fast drydown for maturity

DUAL-PURPOSE

74M94 vt2pr0/asr



RELATIVE MATURITY

- · Absolute top-end performance two years running
- 97-day yield with 94-day drydown
- Very good greensnap, early vigor and test weight
- · Average Goss's Wilt tolerance limits westward movement

19L95 CONV



- High-yielding conventional hybrid for the mid 90-day grower
- This cross is a perfect fit with growers using a variable-rate prescription
- Throws a big, flexed, deep-kerneled ear

DUAL-PURPOSE

2LF95 RR2/SILAGE



- Silage only! Drop your population by 10% to maximize tonnage
- Highly digestible starch makeup in the kernel the geese will starve for lack of 'left-over' kernels
- · Solid agronomics. A go-anywhere type hybrid
- Set your silage harvest at three-quarter inch cut for better quality



RELATIVE MATURITY

- Good option for your tough-to-variable acres
- · Medium-tall hybrid with higher ear placement
- Very good agronomics with solid late-green intactness
- Flex ear that works well in variable rate populations under 34K

78695 VT2PRO





- Top performance across a wide range of environments
- Produces long, flex ears with high kernel row counts
- Exhibits very good staygreen and late-season intactness
- · Nicknamed the "Screamer" because of its high yield potential

DUAL-PURPOSE

65C96 PWERA





- Exceptional showing across all yield levels
- Very good disease package with great late-season stalks
- Top-notch silage option that competes well with later-maturing hybrids
- Continued performance from our first PowerCore® Enlist® option!

DUAL-PURPOSE

76Y96 vt2pro/asr





- 96
- Excellent top-end yield potential across all soil types
- Shows very strong emergence
- · Very good drought tolerance for tougher acres
- Excellent early vigor for early planting and reduced tillage acres

85W96 SMARTSTAX /ASR



≧



96

- · Best-suited for Minnesota, manage for Goss's Wilt in the Dakotas
- · Greensnap, test weight and intactness all back up this hybrid
- Sets a new standard for mid 90-day yield potential
- · Taller plant with higher ear placement

DUAL-PURPOSE

74A97 TRE/ASR



- Excellent top-end yield that we're excited about
- · Semi-flex for moderate planting populations
- Very good stalks, roots and greensnap tolerance
- Good Goss's Wilt tolerance
- Solid staygreen and late-season intactness



SmartStax



- · Robust hybrid with very good Goss's Wilt tolerance
- · Late flowering, fast-drying hybrid for both grain and silage markets

RELATIVE MATURITY DAY

- New yield levels for a 98-day SmartStax®, with excellent northern movement
- All-around agronomics with a solid defensive package
- Keep central and east with some greensnap
- · Great drought, vigor, test weight and roots
- Average Goss's Wilt tolerance

75799 vt2pr0/asr



RELATIVE MATURITY DAY

- · Very strong yield potential over a wide geography from east to west
- Semi-flex ear type with good stress tolerance
- Good foliar healthy and late-season plant appearance
- This hybrid's ability to flex makes it a perfect option for variable rates

2LF01 RR2/SILAGE



- Silage only! Drop your population by 10% to maximize tonnage
- · Robust, leafy-floury hybrid
- 100% floury kernels for a boost in starch digestibility
- Offers big tons to maximize your silage acres

73P01 vt2pro/asr



RELATIVE MATURITY

- Our leading 100-day option with tremendous girth, which earned it the nickname "Girthy Pig"!
- Flex ear style adapts well to moderate populations
- Fast late-season drydown
- Impressive yield stability across all yield environments

DUAL-PURPOSE

75V01 vt2pro/asr



- Solid hybrid all the way around, tested and true
- Podium finisher in our yield trials three years running
- This safe, medium-statured hybrid moves north well
- Big, girthy ear that stays consistent in drought
- Excellent general-use hybrid. Put it out and forget about it

77703 TRE/ASR



RELATIVE MATURITY

- · Huge top-end full-season hybrid
- Slender ear that fits well from 32-37K populations
- Good Goss's Wilt tolerance
- Shines on medium- and high-yielding soils with plenty of fertility
- Maintains great health late in the season!

DUAL-PURPOSI

No dicamba may be used in-crop with seed with Roundup Ready® Xtend Technology, unless and until approved or specifically permitted, and no dicamba formulations are currently registered for such use in the 2024 season. Please follow https://www.roundupreadyxtend. com/pages/xtendimax-updates.aspx for status updates

Bayer is a member of Excellence Through Stewardship® (ETS). Bayer products are commercialized in accordance with ETS Product Launch Stewardship Guidance, and in compliance with Bayer's Policy for Commercialization of Biotechnology-Derived Plant Products in Commodity Crops. This product has been approved for import into key export markets with functioning regulatory systems. Any crop or material produced from this product can only be exported to, or used, processed or sold in countries where all necessary regulatory approvals have been granted. It is a violation of national and international law to move material containing biotech traits across boundaries into nations where import is not permitted. Growers should talk to their grain handler or product purchaser to confirm their buying position for this product. Excellence Through Stewardship® is a registered trademark of Excellence Through Stewardship.

ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS. It is a violation of federal and state law to use any pesticide product other than in accordance with its labeling. NOT ALL formulations of dicamba, glyphosate or glufosinate are approved for in-crop use with products with XtendFlex® Technology. ONLY USE FORMULATIONS THAT ARE SPECIFICALLY LABELED FOR SUCH USES AND APPROVED FOR SUCH USE IN THE STATE OF APPLICATION. Contact the U.S. EPA and your state pesticide regulatory agency with any questions about the approval status of dicamba herbicide products for in-crop use with products with XtendFlex® Technology.

B.t. products may not yet be registered in all states. Check with your representative for the registration status in your state

IMPORTANT IRM INFORMATION: RIB Complete® corn blend products do not require the planting of a structured refuge except in the Cotton-Growing Area where corn earworm is a significant pest. See the IRM/Grower Guide for additional information. Always read and follow $IRM\ requirements.\ Drought Gard @\ Hybrids\ with\ RIB\ Complete @\ corn\ blend\ the\ refuge\ seed\ may\ not\ always\ contain\ Drought Gard @\ Hybrids\ trait.$

Products with XtendFlex® Technology contains genes that confer tolerance to glyphosate, glufosinate and dicamba. Plants that are not tolerant to glyphosate, dicamba, and/or glufosinate may be damaged or killed if exposed to those herbicides. Contact your seed brand dealer or refer to the Bayer Technology Use Guide for recommended weed control programs

DroughtGard®, RIB Complete®, Roundup Ready 2 Technology and Design®, Roundup Ready 2 Xtend®, Roundup Ready®, SmartStax®, Trecepta®, VT Double PRO® and XtendFlex® are registered trademarks of Bayer Group. Herculex® is a registered trademark of Dow AgroSciences LLC. Insect control technology provided by Vip3A is utilized under license from Syngenta Crop Protection AG. Agrisure Viptera® is a registered trademark of a Syngenta group company. LibertyLink logo® and LibertyLink® are trademarks of BASF Corporation. © 2024 Bayer Group. All Rights Reserved. Respect the Refuge and Corn Design® and Respect the Refuge® are registered trademarks of National Corn Growers Association.

Seed containing a patented trait can only be used to plant a single commercial crop. It is unlawful to save and replant Roundup Ready 2 Yield® soybeans. Roundup Ready 2 Xtend® soybeans, and XtendFlex® soybeans. Additional information and limitations on the use of these products are provided in the Technology Stewardship Agreement and the Bayer Technology Use Guide: tug.bayer.com. U.S. patents for Bayer technologies can be found at the following webpage: cs.bayerpatents.bayer.com.

Corteva Agriscience is a member of Excellence Through Stewardship® (ETS). Corteva Agriscience products are commercialized in accordance with ETS Product Launch Stewardship Guidance and in compliance with the Corteva Agriscience policies regarding stewardship of those products. In line with these guidelines, Corteva Agriscience's product launch process for responsible launches of new products includes a long-standing process to evaluate export market information, value chain consultations, and regulatory functionality. Growers and end-users must take all steps within their control to follow appropriate stewardship requirements and confirm their buyer's acceptance of the grain or other material being purchased. For more detailed information on the status of a trait or stack, please visit www. $biotrade status.com.\ Excellence\ Through\ Stewardship @is\ a\ registered\ trademark\ of\ Global\ Stewardship\ Group.$

Seeds containing the Enlist, Herculex and PowerCore traits are protected under numerous US patents. Seeds containing patented traits can only be used to plant a single commercial crop and cannot be saved or replanted. You acknowledge and agree to be bound by the terms and conditions of the following documents in effect at the time of planting of this seed: (i) the Technology Use Agreement and (ii) the Product Use Guides for all technologies in this seed, including the Herbicide Resistance Management (HRM), and Use requirements detailed therein (www.corteva.us/Resources/trait-stewardship.html). To plant Enlist, Herculex and PowerCore seed, you must have a limited license from Corteva Agriscience. In consideration of the foregoing, Corteva Agriscience grants to the Grower the limited license to use its technology to produce only a single commercial crop in the United States under the terms and conditions set forth in the Technology Use Agreement in effect at the time of planting of this seed.

Always read and follow herbicide label directions prior to use: Enlist® products contain the Enlist trait that provides crop safety for use of labeled over-the-top applications of glyphosate, glufosinate and 2,4-D herbicides featuring Colex-D® technology when applied according to label directions. Following burndown, the only 2,4-D containing herbicide products that may be used with Enlist corps are products that feature Colex-D technology and are expressly labeled for use on Enlist crops. 2,4-D products that do not contain Colex-D technology are not authorized for use in conjunction with Enlist products. Enlist corp contains genes that confer tolerance to 2,4-D and -fop herbicides will damage or kill crops that are not tolerant to 2,4-D or -fops.

IRM - Properly managing trait technology is key to preserving it as a long term crop protection tool. Growers who fail to comply with IRM requirements risk losing access to this product. To help preserve the effectiveness of B.t. corn technologies, growers planting B.t. corn technologies are required to follow an IRM Plan. Consult the Corn Product Use Guide for appropriate refuge configuration options. Before opening a bag of seed, be sure to read, understand and accept the stewardship requirements, including applicable refuge requirements for insect resistance management, for the biotechnology traits expressed in the seed as set forth in the Technology Use Agreement and Product Use Guide. By opening and using a bag of seed, you are reaffirming your obligation to comply with the most recent stewardship requirements. For complete details on IRM requirements for hybrids with Bt technology, including refuge examples and important information on the use of insecticides on refuge and Bt corn acres, please consult appropriate Product Use Guide. Go to www.corteva.us/ Resources/trait-stewardship.html to download the latest Corteva Agriscience Corn Product Use Guide

Enlist E3® soybean seeds containing the Enlist® trait can only be used to plant a single commercial crop. It is unlawful to save and replant Enlist E3® soybeans. Additional information and limitations on the use of these products are provided in the Corteva Agriscience Technology Use Agreement and Enlist® Soybean Product Use Guide. U.S. patents for Corteva Agriscience technologies can be found at the following webpage: www.corteva.us/Resources/trait-stewardship.html

Enlist Duo® and Enlist One® herbicides are not registered for sale or use in all states or counties. Contact your state pesticide regulatory agency to determine if a product is registered for sale or use in your area. Enlist Duo and Enlist Duo an for use with Enlist crops. Consult Enlist herbicide labels for weed species controlled. Always read and follow label directions. Enlist £30 soybeans were jointly developed by Corteva Agriscience and MS Technologies, LLC. are trademarks of Corteva Agriscience. PowerCore® multi-event technology developed by Corteva Agriscience and Monsanto. Roundup®, Roundup® Ready®, Roundup Ready 2 Technology and Design, and PowerCore® are registered trademarks of Monsanto Technology LLC. Liberty Link® and the Water Droplet Design® are registered trademarks of BASF. Enlist®, Colex-D®, and Refuge Advanced® are trademarks of Corteva Agriscience and its affiliated companies. Excellence Through Stewardship is a registered trademark of Excellence Through

Following burndown, Enlist Duo® and Enlist One® herbicides with Colex-D® technology are the only herbicides containing 2,4-D that are authorized for preemergence and postemergence use with Enlist® corn and soybeans. Consult Enlist® herbicide labels for weed species controlled. Enlist Duo and Enlist One herbicides are not registered for use or sale in all states and counties; are not registered in AK, CA, CT, HI, ID, MA, ME, MT, NH, NV, OR, RI, UT, VT, WA and WY; and have additional subcounty restrictions in AL, GA, TN and TX, while existing county restrictions still remain in FL. All users must check "Bulletins Live! Two" no earlier than six months before using Enlist One or Enlist Duo. To obtain "Bulletins," consult epa.gov/espp/, call 1-844-447-3813, or email ESPP@epa.gov. You must use the "Bulletin" valid for the month and state and county in which Enlist One or Enlist Duo are being applied. Contact your state pesticide regulatory agency if you have questions about the registration status of Enlist® herbicides in your area. ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS.

IT IS A VIOLATION OF FEDERAL AND STATE LAW TO USE ANY PESTICIDE PRODUCT OTHER THAN IN ACCORDANCE WITH ITS LABELING. ONLY USE FORMULATIONS THAT ARE SPECIFICALLY LABELED FOR SUCH USE IN THE STATE OF APPLICATION. USE OF PESTICIDE PRODUCTS, INCLUDING WITHOUT LIMITATION, 2,4-D-CONTAINING PRODUCTS NOT AUTHORIZED FOR USE WITH ENLIST CORN AND SOYBEANS, MAY RESULT IN OFF-TARGET DAMAGE TO SENSITIVE CROPS/AREAS AND/OR SUSCEPTIBLE PLANTS, IN ADDITION TO CIVIL AND/OR CRIMINAL PENALTIES. Additional product-specific stewardship requirements for Enlist crops, including the Enlist Product Use Guide, can be found at www. traitstewardship.com.

POWERCORE® is a registered trademark of Bayer Group. POWERCORE® multi-event technology developed by Corteva Agriscience and Bayer Group. Liberty®, LibertyLink® and the Water Droplet Design are registered trademarks of BASF. ®Roundup and Roundup Ready are registered trademarks of Bayer Group. Always follow IRM, grain marketing and all other stewardship practices and pesticide label directions. B.t. products may

Enlist E3

not yet be registered in all states. Check with your seed $representative for the \ registration \ status \ in \ your \ state. \ The$ transgenic soybean event in Enlist E3® soybeans is jointly developed and owned by Corteva Agriscience and M.S. Technologies, L.L.C.

™® Trademarks of Corteva Agriscience and its affiliated companies











Before opening a bag of seed, be sure to read, understand and accept the stewardship requirements, including applicable refuge requirements for insect resistant management, for the biotechnology traits expressed in

the seed as set forth in the Technology/Stewardship Agreement that you sign. By opening and using a bag of seed, you are reaffirming your obligation and agreement to comply with the most recent stewardship requirements.

Following burndown, Enlist Duo® and Enlist One® herbicides with Colex-D® technology are the only herbicides containing 2,4-D that are labeled for preemergence and postemergence use with Enlist E3® soybeans.



OVERVIEW

On-Target Application

- 90% less drift than traditional 2,4-D
- 96% less volatile than 2,4-D ester





- Convenient proprietary blend of 2,4-D choline and glyphosate
- $\boldsymbol{\cdot}$ The two modes of action work together to deliver control of yield-robbing weeds and help prevent resistance



- · Straight goods 2,4-D choline with additional tank-mix flexibility
- Provides additional tank-mix flexibility with Durango® DMA® herbicide, Liberty® herbicide and other qualified tank-mix products, allowing for a customized weed control program to fit each farm

CORN HYBRID CHARACTERISTICS

				CHARACTERISTICS														
_	Brand	Trait Package	Maturity	Emergence	Early Vigor	Root Strength	Stalk Strength	Plant Height	Ear Height	Ear Type	Staygreen	Goss's Wilt	DroughtTolerance	North. Leaf Blight	Dry Down	Test Weight	GDUs to Black Layer	Dual Purpose / Silage
	22C74	RR2	74	8	8	8	8	Med-Short	Med-Low	Fixed	8	7	7	8	8	Med-High	1875	
	21N78	RR2	78	8	8	9	8	Med-Tall	Med	Semi-Flex	9	6	7	8	8	Med-High	1925	
	77P79	VT2PR0	79	8	8	8	8	Med-Tall	Med	Semi-Flex	8	7	7	8	8	Med-High	1975	
NEW	13Z80	Conventional	80	8	8	8	7	Med-Tall	Med	Semi-Flex	7	6	7	7	8	Med	2015	
	70D80	VT2PR0	80	8	8	8	7	Med-Tall	Med	Semi-Flex	7	6	7	7	8	Med	2015	
	71V81	VT2PR0	81	8	7	7	8	Med-Short	Med	Semi-Flex	7	8	7	8	7	Med	2000	
	74L81	VT2PR0	81	8	8	8	8	Med-Tall	Med	Semi-Flex	8	7	6	8	8	Med-High	2020	
NEW	19H83	Conventional	83	8	8	8	8	Med	Med	Semi-Flex	8	8	8	8	8	Med	2080	
_	22T83	RR2	83	8	8	8	8	Med	Med	Semi-Flex	8	8	8	8	8	Med	2075	
	74F83	VT2PR0	83	8	8	7	7	Med	Med	Semi-Flex	7	7	8	7	8	Med-High	2070	
	73\$84	VT2PR0	84	8	8	8	8	Med	Med	Semi-Flex	8	8	8	8	8	Med	2110	
_	13A85	Conventional	85	8	8	8	8	Med-Tall	Med-High	Semi-Flex	8	8	8	8	8	Med	2110	
-	25K85	RR2	85	8	8	9	9	Med	Med	Semi-Flex	9	8	8	9	8	Med-High	2110	
	75G85	VT2PR0	85	7	7	8	8	Med-Tall	Med-High	Semi-Flex	7	7	7	7	7	Med	2140	
	78R85	VT2PRO/ASR	85	8	8	7	8	Med	Med	Semi-Flex	7	7	7	7	8	Med	2150	
NEW	16\$86	Conventional	86	8	8	8	8	Med-Tall	Med	Semi-Flex	8	7	7	8	7	Med-High	2125	
NEW	71P86	VT2PR0	86	8	8	7	8	Med	Med-High	Semi-Flex	7	7 8	8	7	7	Med	2155 2120	
	76Q86	VT2PR0	86	8	8	8	8	Med Tell	Med	Semi-Flex	8	7	7	8	8	Med		
NEW	74Z87	VT2PR0	87		8	8	_	Med-Tall	Med	Semi-Flex Semi-Flex	7	7	_		7	Med-High	2125	
NEW	79K88	VT2PR0	88	8	8	8 9	9	Med	Med			5	- 8 - 9			Med	2200	
NEW	13D91 64C89	Conventional PWERA	89	8	6		8	Med Tell	Med	Semi-Flex	8	8	7	8	7	Med	2175	
NEW	74R89	VT2PR0	89 89	8	8	7	7	Med-Tall Tall	Med-High Med-High	Semi-Flex Semi-Flex	7	7	7	- 8 - 7	8	Med Med	2180	
	74K89 74J89	VT2PRO VT2PRO	89	9	9	8	8	Med-Tall	Med-High	Semi-Flex	7	7	7	8	8	Med-High	2190	
	73K90	VT2PRO/ASR	90	8	8	9	8	Med	Med	Semi-Flex	7	8	7	7	8	Med	2200	
	77H90	VT2PRO/ASR	90	8	8	8	8	Med-Short	Med	Semi-Flex	7	6	7	7	8	Med	2250	
NEW	27F91	RR2	91	9	8	8	8	Med	Med	Semi-Flex	8	8	9	9	8	Med	2200	
II.E.I.	72A91	VT2PR0	91	9	8	8	8	Med	Med	Semi-Flex	8	8	9	9	8	Med	2200	
	74V91	VT2PRO/ASR	91	8	8	7	7	Med	Med	Semi-Flex	7	7	7	7	7	Med	2210	
-	16892	Conventional	92	8	8	8	8	Med	Med	Semi-Flex	8	6	9	7	8	Med	2220	
	26S92	RR2	92	8	8	8	8	Med	Med	Semi-Flex	8	6	9	7	8	Med	2220	
	74B92	VT2PRO/ASR	92	8	8	8	8	Med-Tall	Med-High	Semi-Flex	8	8	8	8	7	Med-High	2280	
	76S92	VT2PR0	92	8	8	8	8	Med	Med	Semi-Flex	8	6	9	7	8	Med	2220	
	88K93	SS/ASR	93	9	9	7	8	Med-Tall	Med-High	Semi-Flex	7	8	8	7	8	Med	2235	
	72Q94	VT2PR0	94	8	8	9	8	Med-Tall	Med-High	Semi-Flex	8	7	8	7	8	Med	2235	
NEW	74M94	VT2PR0/ASR	94	8	8	7	7	Med-Tall	Med-High	Semi-Flex	7	6	7	7	8	Med-High	2325	
	19L95	Conventional	95	8	8	8	8	Med	Med	Flex	8	9	8	8	8	Med	2325	
	2LF95	RR2/Silage	95	8	8	8	7	Tall	Low	Flex	8	8	8	8	5	Low	N/A	
	71R95	DGVT2PR0	95	8	8	7	7	Med-Tall	Med-High	Flex	7	7	9	7	8	High	2325	
	78G95	VT2PR0	95	8	8	8	8	Med	Med	Semi-Flex	8	9	8	8	8	Med	2300	
	65C96	PWERA	96	8	8	7	8	Tall	Med-High	Semi-Flex	8	8	8	8	8	Med	2380	
	76Y96	VT2PR0/ASR	96	9	9	9	8	Med	Med	Flex	8	8	8	8	8	Med-High	2450	
NEW	85W96	SS/ASR	96	8	8	7	7	Med-Tall	Med-High	Semi-Flex	7	6	7	7	8	Med-High	2390	
	74A97	TRE/ASR	97	7	7	8	8	Med	Med	Semi-Flex	7	7	8	6	8	Med	2360	
	78P98	TRE/ASR	98	8	8	8	8	Med-Tall	Med	Flex	8	8	7	7	8	Med	2450	
NEW	85Q98	SS/ASR	98	8	8	8	7	Med	Med	Semi-Flex	7	6	8	7	8	Med-High	2445	
	75T99	VT2PR0/ASR	99	8	8	8	7	Med	Med	Semi-Flex	7	7	9	7	9	Med	2445	
	2LF01	RR2/Silage	101	8	8	8	7	Tall	Med	Flex	9	7	8	8	5	Low	N/A	
	73P01	VT2PR0/ASR	101	7	7	8	8	Med	Med	Flex	7	7	8	7	9	Med	2525	
NEW	75V01	VT2PR0/ASR	101	7	7	7	8	Med	Med	Semi-Flex	7	8	8	7	8	Med	2520	
NEW	77Z03	TRE/ASR	103	7	7	8	8	Med	Med	Semi-Flex	8	7	7	7	8	Med-High	2570	

KEY TO OUR CORN NAMING SYSTEM

Trait Package Hybrid Relative Maturity TRAIT PACKAGE KEY

RR2 VT2PR0 SS TRE

Roundup Ready® Corn 2 VT Double Pro® RIB Complete® SmartStax® RIB Complete® Trecepta® RIB Complete®

PWERA DGVT2PRO PowerCore® Enlist® Refuge Advanced®

*Scale of 1-9 with 1 being poor, 9 being excellent

Silage | Dual-Purpose



52 REPS / 5 YEARS


VARIETY	YIELD	PROTEIN	TWT	HEADING	MATURITY
PFS BUNS	68.8	14.1	54.9	+5 Days	+4 Days
WESTBRED 9590	61.5	15.5	56.9	-	-

46 REPS / 4 YEARS

VA	RIETY	YIELD	PROTEIN	TWT	HEADING	MATURITY
PFS	S BUNS	70.5	14.2	54.7	+4 Days	+4 Days
SY	VALDA	62.2	15.5	56.8	-	-

27 REPS / 2 YEARS NEW VARIETY MATURITY **PROTEIN HEADING** PFS ROLLS 64.4 14.8 58.0 +1 Day SY VALDA 62.0 15.3 56.4 - 1 Day WESTBRED 9590 63.5 15.2 56.9

BUNS AND ROLLS. Worth their 'wheat' in gold.



25XF007xtendflex

00.7



TENDFLEX

- Complete disease package, SCN, IDC and Rps1c
- 65% win rate vs. 18X008N for yield
- Carries excellent height for this relative maturity

23XF009 XTENDFLEX

TENDFLEX.

- · Great overall disease package including IDC tolerance
- Superior lodging resistance with average plant height
- Does not have SCN protection so place carefully

24XF01 XTENDFLEX

TENDFLEX.
SOYBEANS

- Fantastic disease package makes this variety widely adapted
- Carries SCN protection and above-average SWM tolerance
- Extra height makes this a great choice for lighter and variable soils
- Adjusts well to any row type, making it suited for a variety of environments
- Solid IDC scores for this high-yielding bean!

23XF01 XTENDFLEX

TENDFLEX

0.1

- Next-generation yields for an early RR2 XtendFlex® offering
- Solid IDC score with a Rps1k Phytophthora gene
- · Will be widely adapted for years to come
- Does not have SCN protection test soils before placing

22XF03 XTENDFLEX

RELATIVE MATURITY

- · Works well in heavy soils
- Solid IDC tolerance and has shown good SWM resistance
- Place carefully as it doesn't carry cyst nematode protection
- A tall, branching bean that will fill all rows quickly

Our #1 selling RR2 XtendFlex® variety demonstrates its adaptability.

24XF04 XTENDFLEX

TENDFLEX

- Taller plant type with excellent lodging resistance
- Excellent IDC tolerance
- Carries SCN and BSR resistance
- · Attractive bean with next-level yield



15







- · Outstanding yield year-over-year, even in challenging IDC environments
- · A workhorse for our lineup that still consistently performs
- · Maintains height even in tough conditions

25XF05 XTENDFLEX



- Strong yield data across all testing areas
- Maintains good plant height across all soil types
- Stacked Phytophthora genes paired with phenomenal field tolerance
- Will need to manage placement due to average IDC scores
- Excellent drought tolerance

TENDFLEX

22XF06 XTENDFLEX



- Medium-tall, semi-bushy plant type
- Carries both SCN and Rps1c genes to anchor a strong disease package
- Outstanding yields year-after-year

TENDFLEX.
SOYBEANS

24XF07 XTENDFLEX

TENDFLEX



0.7

- · Great SCN option with Peking
- . Medium height with excellent lodging resistance
- Improved SWM scores with solid IDC
- Widely adapted from east to west

21XF07 XTENDFLEX



- Equipped with strong SCN and BSR resistance
- Average IDC scores and travels west well
- Medium height with great lodging resistance
- · Perfect for all row widths



23XF09 XTENDFLEX



0.9

- Attractive plant type with a lot of branching
- Solid disease package, SCN, Rps1c and IDC
- Watch placement in fields with a history of white mold





1.0

- Top-end disease package
- #1 yielder across 12 trial locations
- Well-adapted for variable soils
- Yield stability carries this bean north to south and east to west!
- Robust disease package makes this bean easy to place

23EN10 ENLISTE3



- Outstanding IDC tolerance with Rps1k
- Carries good height with longer lateral branches
- Keep off SWM-prone fields

25EN13 ENLIST E3



- · Another great Peking line
- Checks all the boxes: stacked Phytophthora genes with industry-leading field tolerance, IDC, SCN and SWM
- Fantastic east-to-west adaptation
- · Will handle your tough ground

25XF13 xtendflex



1.3

- Strong performance from north to south and east to west
- Top-end disease package
- Stacked Phytophthora genes plus initial data tells us good SWM tolerance
- Will be an "easy button," go-anywhere variety
- Yields with 22XF14, but is earlier maturing

22XF14 XTENDFLEX



RELATIVE MATURITY

1.4

- Taller RR2 XtendFlex® variety with excellent lodging resistance
- Rps3a for tough Phytophthora soils plus above-average SWM scores
- · Outperforms industry standards for yield

24EN16 ENLIST E3



1.6

- Yields with perennial champion 2216E
- Peking with a strong Phytophthora package
- IDC to handle most soils
- · Broadly adapted east to west

22XF18 XTENDFLEX

TENDFLEX.

RELATIVE MATURITY

1.8



- Solid disease packages_
- Widely adapted for the southern end of our footprint_



PETERSON FARMS SEED

SOYBEAN CHARACTERISTICS

					CHARACTERISTICS										
_	Brand	Trait Package	Maturity	Lodging	Phytophthora Gene	Phytophthora Field Tolerance	IDC	SCN	Brown StemRot	SDS	SWM	Plant Structure	Plant Height		
NEW	25XF007	XtendFlex	00.7	7.6	Rps1c	7.7	8.0	PI88788	NA	NA	N/A	Intermediate	Medium		
	23XF009	XtendFlex	00.9	7.9	Rps1k	7.0	8.0	S	Excellent	N/A	7.0	Intermediate	Med		
	23XF01	XtendFlex	0.1	7.7	Rps1k	7.4	7.7	S	Fair	N/A	7.0	Intermediate	Med-Tall		
NEW	24XF01	XtendFlex	0.1	7.3	Rps1c	7.4	7.9	PI88788	Good	NA	7.0	Intermediate	Med-Tall		
	22XF03	XtendFlex	0.3	6.9	Rps1c	7.2	7.5	S	Excellent	N/A	7.0	Intermediate	Tall		
	19EN04	Enlist E3	0.4	7.5	NG	7.3	8.4	S	Fair	N/A	6.0	Intermediate	Med-Tall		
	24XF04	XtendFlex	0.4	7.9	Rps1c	7.7	8.1	PI 88788	Excellent	N/A	6.0	Intermediate	Med-Tall		
NEW	25XF05	XtendFlex	0.5	7.4	Rps1c+Rps3a	8.1	7.4	PI88788	NA	Good	6.0	Intermediate	Medium		
	22XF06	XtendFlex	0.6	7.4	Rps1c	7.9	7.7	PI 88788	N/A	Good	6.0	Intermediate	Med-Tall		
	21XF07	XtendFlex	0.7	7.6	Rps H3a	7.5	7.5	PI 88788	Excellent	N/A	6.0	Intermediate	Med		
	24XF07	XtendFlex	0.7	7.5	Rps1c	7.3	7.4	Peking	Excellent	N/A	7.0	Intermediate	Med		
	23XF09	XtendFlex	0.9	7.1	Rps1c	7.4	7.7	PI 88788	N/A	N/A	5.0	Intermediate	Med-Tall		
	23EN10	Enlist E3	1.0	7.9	Rps1k	7.8	7.8	PI88788	Good	NA	6.0	Bushy	Medium		
NEW	25XF10	XtendFlex	1.0	8.0	Rps1c	7.9	7.7	PI88788	Excellent	Excellent	7.0	Intermediate	Med-Tall		
NEW	25XF13	XtendFlex	1.3	8.0	Rps1k+Rps3a	8.2	7.9	PI88788	Good	Fair	7.0	Intermediate	Medium		
NEW	25EN13	Enlist E3	1.3	7.7	Rps1c+Rps3a	8.2	7.8	Peking	Very Good	Good	6.0	Intermediate	Med-Tall		
	22XF14	XtendFlex	1.4	7.6	Rps3a	7.9	7.4	PI 88788	N/A	Fair	7.0	Intermediate	Med-Tall		
NEW	24EN16	Enlist E3	1.6	8.1	Rps1k	7.9	7.6	Peking	Good	Good	7.0	Bushy	Medium		
	22XF18	XtendFlex	1.8	7.8	NG	7.4	7.2	PI 88788	Excellent	Fair	7.0	Intermediate	Med-Tall		

SOYBEAN NAMING SYSTEM



SOYBEAN TRAIT KEY

Enlist E3 Enlist E3° soybeans

XtendFlex XtendFlex® soybeans Scale of 1-9 with 1 being poor, 9 being excellent S= Susceptible



UYBEANS

THE POWER OF VALUE-ADDED CLOSED LOOP CONTRACTS.

Increase your farm's profitability by growing a premium product with a no risk-contract.

HANA CONVENTIONAL

00.9

- Yields competitive to existing traited lines
- Best suited for 15" or narrower row spacing
- Works best in higher populations
- . Consider using a seed treatment which may help combat SCN

AYA CONVENTIONAL

0.7

- Equal yield to 2106E in our 2023 trials
- · Carries Rps3a for Phytophthora protection and very good IDC
- Does not have SCN protection consider using a seed treatment

• Does not have SCN protection - consider using a seed treatment

- · Good height with some branching ability
- · Recommended for all row spacings

WILMA CONVENTIONAL



• Equal yield to 2108E in our 2023 trials • Stacked Rps3a, Rps1c Phytophthora genes are foundation of excellent disease package

- · Good height with some branching ability
 - · Recommended for all row spacings

CONTRACT DETAILS:

- "Take-all" contract. Every bushel is taken after minimal standards are met (truckload quantities).
- No transportation costs for you. Soybeans picked up from YOUR bins!
- Testing proves minimal yield drag. Four years of testing shows yields that are comparable to traited soybeans.
- Superior premium! Payments made on gross bushels (less any FM).



PETERSON SELECT SEED TREATMENT

PROTECTION WHEN AND WHERE YOU NEED IT.

It checks ALL the boxes for disease and insect protection.







- Protection from top seedling diseases
- Custom formulation to fit our regional farms
- Includes Polymer for improved coverage and flowability
- Compatible with inoculant to round out your protection offering
- Red color
- Low use rate at 2.45 fl oz/cwt



PHYTOPHTHORA



RHIZOCTONIA



PYTHIUM



FUSARIUM



SEED-BORNE Disease

FUNGICIDE





- PYTHIUM
- 4 active ingredients
- Protection from top seedling diseases
- Custom formulation to fit our regional farms
- Includes polymer for improved coverage and flowability
- Red color
- Low use rate at 2.0 fl oz/cwt



FUSARIUM

RHIZOCTONIA



SEED-BORNE Disease

FUNGICIDE & INSECTICIDE



- Custom formulation of Peterson Select fungicide PLUS insecticide
- Protects against troublesome seedling diseases and insects
- Low use rate at 3.75 fl oz/cwt







INSECTS

FUNGICIDE & INSECTICIDE



- Custom formulation of Peterson Select fungicide PLUS insecticide
- Protects against troublesome seedling diseases and insects
- •Low use rate at 2.75 fl oz/cwt











PROTECT THE BEST WITH THE BEST









A CALL IS GREAT. A CARD IS NICE. BUT OUR "THANK YOU" CLEARS SNOW AND ICE.





WE CAN'T THANK YOU ENOUGH, BUT WE SURE LIKE TO TRY.

Turn the page for our **Promise+ Rewards** options for this year... and to see how grateful we are for your early seed order.





YOUR EARLY ORDER. OUR THANKS.

IT'S THAT SIMPLE.

When you commit to order seed before December 15, we'll thank you for putting your trust in us with Promise+ Points redeemable for valuable merchandise.

EASY AS 1-2-3:

- Sign an early order commitment by December 15, 2024.
- Pick your payment method:
 - 0% financing with your local bank
 - Cash, including a cash discount based on payment date
 - John Deere Financing
- Bask in our gratitude! Earn Promise+ points based on your commitment level. Select your reward with your dealer before January 15, 2025.

BONUS POINTS + CARRY-OVER

Loyalty Bonus: earn an extra Promise+ point when you commit at level 3 or higher <u>AND</u> plant 100% of your corn and soybean acres with us.

Tier Jumper: earn one point for each tier you jump (maximum of 5 points) over your historic-high level.

1 Year Point Carry-Over: carry point(s) forward one year to stack points and earn a larger reward.

Requires equal or greater seed purchase year-over-year.



INFIRAY THERMAL MONOCULAR

- AFFO R+ 13 model
- 256x192 sensor resolution
- 13 mm objective focal length
- 670-yard detection range
- Thermal imaging device technology





WEBER® PROPANE GRILL

- Weber Genesis E-325 model
- 3-burner propane grill
- PureBlu burners
- 39,000 BTU/hour input



DEWALT® 5-TOOL KIT

MAX XR 20v combo kit includes:

- DCD996 1/2" hammer drill/driver.
- DCF887 1/4" 3-speed impact driver
- DCS367 compact reciprocating saw
- DCS570 7-1/4" circular saw (tool only)
- DCL040 LED work light
- DBC115 12v-20v multi-voltage charger
- DCB205 2- 20v 5Ah batteries





BOTE® INFLATABLE PADDLE BOARD

HD Aero 11'6" Classic Cypress Inflatable Paddle Board

- 1 HD Aero 11'6" Inflatable paddle board
- 1 3-Piece adjustable SUP paddle
- 1 10" Removable aero center fin
- 1 Pair of slide-in aero rac
- 1 Hand pump • 1 - Travel bag
- receivers



• 1 - Removable aero

paddle sheath

• 1 - Aero repair kit



DARKHOUSE® SPEARING PACKAGE Package includes: • Fish's 42" folding ice saw w/case • Belle River standard stainless steel 7-tine spear Spike PRO ice tongs Handmade fish decoy by local carvers





LE CREUSET® COOKWARE SET



- 7-piece enameled cast iron set includes:
- 4-1/2 at. Round Dutch oven
- 5-1/4 qt. Signature roaster
- 2-1/4 qt. Braiser
- 10-1/4" Signature skillet
- Square skillet grill
- Multiple color options available

ANKER® PORTABLE POWER STATION



• 2- M18 Redlithium XC5.0 batteries

- SOLIX C1000 model (A1761)
- 1056Wh capacity / 1800W output
- 6 AC Outlets
- 600W solar input

Includes foldable solar panel:

 Anker 625 Solar Panel 100W (A2431)

ANKER

GARMIN® AUDIO SYSTEM

- Garmin Tread model
- LED Controller
- IP67 design built to withstand dust, water and weather conditions
- Flexible setup for any side-by-side, off-road or boats and pontoons
- AM/FM, AUX and Bluetooth technology





OONI® PIZZA OVEN





Ooni Volt 12:

- Electric for indoor/outdoor use
- 13" Cooking area
- Reaches 850°F in 20 minutes Makes pizzas in 90 seconds
- Power: 1600w, 120v

Ooni Karu 16:

- · Cook with wood or charcoal (gas burner sold separately)
- 16" cooking area
- Reaches 950°F in 15 minutes
- .6" cordierite pizza stone





- DJI Mini 4 Pro w/case
- Up to 34 minutes flight time
- 16GB MicroSD Included
- 1/1.3" CMOS sensor, w/up to 48 million effective pixels
- Includes group training from Nolan with Peterson Farms Seed





BOX BULLET

- Remote pro box opener
- Adjusts to fit Buckhorn & Orbis Gen2-50 seed boxes
- Storage holster
- · Compatible with both Milwaukee or Dewalt battery receivers
- 18-month warranty



Rifle:

- Golden Boy model
- .22 LR
- Lever action
- 20" barrel

Revolver:

- Ruger Super Wrangler model
- .22 LR | .22 magnum
- 6-shot capacity
- Silver Cerakote finish





CELL CAMERA & DEER FEEDER



Deer Feeder:

- 600lb capacity
- 42" feeder height (ground to spout)
- 84" legs
- Automatic spring feeder included

Trail Camera:

- Tactacam Reveal X-Pro model
- Built-in GPS
- Detect animals at 96+ ft.
- Lithium battery and solar panel



TACTACAM



BOTE® INFLATABLE 7X7' DOCK

- Bote® Classic 7x7
- 49 sq. ft. surface space, 1,050 lb capacity
- Includes:
- 1 Repair kit
- 1 Hand pump
- 1 Travel bag



WUSTHOF® CLASSIC 15-PIECE BLOCK SET

- Block Color: acacia
- Classic 3 ½" pairing knife Classic 4 ½" utility knife
- · Classic 5" dantoku
- · Classic 6" utility knife
- · Classic 8" chef's knife
- 6, Classic 4 1/2" steak knives • 9" Triple rivet honing steel
- Come-apart kitchen shears • 17-Slot acacia knife block



(III) WÜSTHOF

LIBERTY® GUN SAFE



POINT ITEMS



TORO® TIMEMASTER LAWN MOWER

- TimeMaster model
- 30" deck
- Personal Pace
- Dual-force cutting system



• M18 Fuel D-handle model

- 1" cordless brushless impact wrench
- 2,000 ft-lbs force torque • 2 - 12AH batteries.
- charger and carry bag







ATN® THERMAL RIFLE SCOPE

- Thor 5 model
- 3-12x magnification
- 750-meter detection range
- 320x240 @ 12 µm sensor
- 1024x768 OLED Display







TORO® SNOWBLOWER

- 824 model
- Clearing width: 24" width with 20" intake width
- Throw distance: up to 45'
- 6 speeds
- Electric start



JURA® AUTOMATIC ESPRESSO MACHINF

- ENA 8 model
- 15 specialty beverages
- 10 programmable coffee strength levels
- Wi-Fi connect compatible





HYDRAULIC SUMP BUSTER

- Sump Saver Mighty Mini model
- Hydraulic motor can produce 6,000 inchpounds of torque
- Can be operated in forward and reverse
- ½" rod reinforced w/ stiffening ribs
- Works in bins up to 42'

TRAEGER® WOOD PELLET GRILL AND SMOKER



SEEKINS® PRECISION RIFLE



- Havak Element model
- 6.5 PRC
- 21" barrel
- · Armorer black anodize finish

POINT ITEMS





Top Chest

- BKM562406CH model
- 6 drawers with heavy duty raise and release
- Power strip with four plugs and two USB outlets
- Each drawer can hold up to 150lbs
- 56" x 24"

MONTEZUMA® TOOL CHEST



- BKM562411TC model
- 11 drawers with heavy duty raise and release
- Power strip with four plugs and two USB outlets
- Each drawer can hold up to 150lbs
- 56" x 24"

SUPER REEL® HOSE REEL ASSEMBLY

- HRE300SS model
- 3" electrical hose reel
- 12v motor with hand control
- Stainless steel swivel • Manual motor disengagement for easy pull-out
- · Guide tubes for easy retrieval Manual switch and wireless remote
- Holds up to 75' of 3" hose (Not Included)



WOODS® BOX SCRAPER

- BSM72 model
- 72" wide/working width
- 3-point hitch
- 680lbs

WOODS

DEMCO® UTV SPRAYER

- 60-gallon w/slope bottom sump
- 12' boom (40" nozzle spacing)
- Handgun
- Hose reel w/50' hose
- Electric motor, diaphragm pump with Viton® valves will deliver 5GPM











GARMIN® LIVESCOPE

- ECHOMAP UHD 93sv
- LiveScope Plus
- Lithium-ion battery
- 9" display
- LakeVü G3 maps

GARMIÑ.

DJI® MAVIC DRONE KIT

- DJI Mavic 3E Ag Kit w/case
- Up to 45 minutes flight time
- Fast charge batteries w/100w charging hub or directly charge the drone w/88w fast
- 4/3 CMOS sensor w/large 3.3μm pixels
- Mapping capable

PULSAR

 Includes group training from Nolan with Peterson Farms Seed







TRUE® DRAFT BAR COOLER

- TDR32-RISZL-L-B-S-1 model
- One-section 32" wide
- Stainless steel countertop • (1) solid hinged locked
- door • (1) 3" dia. insulated beer column with single faucet draft arm and 2-way manifold
- (1) 15" surface-mounted drip tray
- LED interior lighting

WILLE







Your choice of ATV:

- 2-wheel drive
- 4-stroke single cylinder
- 112cc

Both ATVs include:

- Safety flag
- Adjustable speed limit • 1 color-matched youth helmet

POLARIS



TRUE® ICE MAKER

- •TCIM-530-HA1-A model
- Produces up to 560lbs per 24 hours
- Small cube size
- TrueZone protection to purify surrounding air in bin and food zone
- •4.3" front touch display



MX-Z model

- · 4-stroke single cylinder, 192cc
- · Hydraulic twin-tube front and back shock
- A-arms front suspension



KAWASAKI® MOTORCYCLE KLX300 dual sport model Push-button electric start •292cc, 4-stroke DOHC, liquid cooled engine • 6-speed, return shift with wet multi-disc manual clutch transmission · Front and rear disc brakes



K'A'RCHER HOT WATER PRESSURE WASHER

- •3.5 gpm @ 3000 psi
- •220v 1ph power
- Diesel/kerosene-fueled burner
- Auto start/stop feature
- •200' reel & 100' hose included
- High-pressure soap line



FINNLEO® SAUNA

- •S-820 model
- 2-person capacity
- •120v plug in
- Low EMR and Low EF throughout sauna
- Match with InfraLogic2 touchscreen control with mobile app





MARSHALL PICKER® ATV ROCK PICKER



- •2" coupler
- Self-contained 12v hydraulics
- Durable 10ga steel rock box w/ mesh floor
- Deep cycle battery included
- Fits 15" 22" 30" row spacings
- Machine weight 680lbs
- Hydraulic dumping rock box



POINT

ITEMS

FREEFLOW SPAS® HOT TUB



- Monterey Premier spa model
- Seats 7 adults
- •22 jets with stainless steel trim

Includes:

• Cover, steps, water care kit, delivery/set up, breaker box (Electrical is not included)

POLARIS® YOUTH RZR

- •200 EFI model
- •2-wheel drive
- •4-stroke single cylinder, 180 cc
- Ride control & helmet-aware technology
- Includes youth helmet

POLARIS



WOODS® ROTARY MOWER



- BB84.40 model
- 3-point hitch
- 11.6" deep deck
- •84" cutting width
- Cutting height from 2" to 12"
- 540 PTO
- Can be pulled by 35-90hp tractor



ORTHMAN® BOX BLADE



- •PS 1025 model
- •10" cut width
- •2-1/2" max cut depth
- •14" max dump height
- Can be pulled by 30-80hp tractor

MRTHMAN

3 YEAR LEASE REWARD

NEW FORD® EXPLORER



- 3 Year Lease 15,000 miles per year
- 10-way power heated seats and heated steering
- SYNC 4 with 12" touch screen
- Sirius Satellite free for 3 months
- Keyless entry pad
- 3rd row seating
- Fordpass Connect for Auto Start app on smartphone

*Requires a 5 point commitment for 3 consecutive years.

SPLASH® SUPER POOL



- 13' x 25.5' x 4'
- Blue color
- 20-year warranty
- Can be left up year round

Included:

• Frame, ladder, solar cover, winter cover, pump and filter and spa vac (Does not include set up)



POLARIS® SPORTSMAN 450

- •450 electronic power steering
- ProStar 500cc, 4-stroke SOHC single cylinder
- •33 horsepower
- True on-demand AWD/2WD

POLARIS





TORO® TITAN ZERO TURN MOWER

- •54" deck
- 26hp Kohler engine

TORO

3 YEAR LEASE REWARD

NEW FORD® F150



Rear under seat storage

• Fordpass Connect for Auto Start app on

Keyless entry pad

smartphone

XLT Crew Cab Package Includes:

- 10-way power heated front seats
- •SYNC 3 with 8" touchscreen
- Sirius Satellite free for 3 months
- Power adjustable pedals

3 Year Lease 15,000 miles per year

*Requires a 5 point commitment for 3 consecutive years.

L **POINT** ITEMS



HOT SPRING® HOT TUB

- Hot Spot Rhythm model
- Seats 7 adults
- 40 jets with stainless steel trim Included:
- Delivery/set up, cover, cover lifter, steps, water care kit, breaker box Electrical is NOT included



ICON® GOLF CART

- •i40 model
- 4-seater
- 48-volt ICON 5KW AC motor and controller
- 6 8v sealed maintenance-free AGM batteries
- Onboard battery charger
- 10" aluminum wheels





KODIAK® FLOOR SCRUBBER

- Kodiak K1626C model
- Self-propelled/walk behind
- 16-gallon clean/dirty water capacity
- Adjustable brush pressure
- •26" cylindrical scrub deck with debris tray
- Made in the USA





SKI DOO® SNOWMOBILE



- MXZ Sport 600 model
- Rotax 600 EFI engine
- Electric starter standard
- 14" windshield



ICON® GOLF CART

- G40 model
- 4-seater
- 401cc EFIA02, OHV with Kawaski EFI gas motor
- 11.5 horsepower
- 12v battery
- 10" aluminum wheels





POINT ITEMS

POINT ITEMS

IMPACT® ENCLOSED TRAILER



- F9016CQSV-070 model
- •7.5' x 16'
- •24" deep sloped V-nose with 12" drop
- •ST205/75R15 'C' radial tires
- 32" wide entry door with flush lock



SEA DOO® SPARK JET SKI



- •Spark 2 Up model
- Rotax® 900 ACE™ engine
- •90 horsepower
- 2up seating capacity
- Electronic iBR®

SEN:300

燃

PJ® TILT TRAILER

- •T6 model
- Net payload: 10,580 lbs
- Bed size: 22' L x 82" W x 21" H
- •235/80/R16 radial tires
- Hydraulic cushioned gravity tilt
- (2) 7,000 lb Dexter Torflex torsion axle



ZWILLING® FLAMEKRAFT GRILL

- D model
- Propane gas
- Infrared burner technologyMain burner 2 x 16,000 BTU
- Accessories Included:
- Teppanyaki, pizza stone, wok, side shelf & cover



Scan QR code for more information

POINT ITEMS

PJ® DUMP TRAILER



- •83' x 14' Low Pro model
- Net payload: 10,360 lbs
- •40° dump pitch, 12v DC hydraulic pump



• (2) 7,000lb E-Z lube brake axle





Reward color, timing, availability and point value subject to supply and cost changes.

THUNDER CREEK® FUEL TRAILER



- EV990 model
- •25 GPM pump
- •990 gallons
- •20' fuel hose
- 7-gauge tank
- Dual 6,000 lbs torsion axles



ICON® GOLF CART

- •i60 lifted model
- 6-seater
- 48 volt ICON 5KW AC motor and controller
- •8 6v sealed maintenance-free AGM batteries
- •12" aluminum wheels
- Durable front and rear bumpers



POLARIS® SPORTSMAN 850

- •850 Ultimate Trail Edition
- Electronic power steering
- ProStar SOHC 4-stroke twin cylinder engine
- 78 horsepower
- One touch on-demand AWD/2WD

POLARIS



POLARIS® RANGER 1000 PREMIUM



- 3-person capacity
- •61 horsepower ProStar Engine
- 1000 electronic power steering model
- 4-stroke twin cylinder engine
- AWD/2WD/VersaTrac turf mode
- Adjustable seat and New LED
- headlights

POLARIS

BURCHLAND® DRIVE OVER HOPPER

- •GSX 130 model
- •7 3/8" deck
- •60" long ramps
- •48" hopper opening
- •13" discharge
- •3 6" horizontal augers convey up to 9,000 BPH



CAN-AM® DEFENDER XT



- HD9 model
- •65 horsepower
- Dynamic power steering
- Rotax 976cc, v-twin, liquidcooled engine

can-am

PJ® FLATDECK TRAILER

POINT

ITEMS



- Low-profile model
- Net payload: 21,250 lbs
- Bed size: 32' L x 102" W
- •(8) 235/80R16 radial tires







POLARIS® RANGER 1000 XP® NORTHSTAR

- 3-person capacity
- 82 horsepower
- 4-stroke twin cylinder DOHC
- AWD/2WD/VersaTrac turf mode
- Full cab system including heat/AC, winch and more!



POLARIS

CAN-AM® DEFENDER MAX XT LIMITED

- HD 10 model
- 6-person seating
- 82 horsepower
- Dynamic power steering
- Rotax 976cc, V-twin, liquid-cooled engine
- Full cab system including heat/AC, winch and more!



THUNDER CREEK® FUEL TRAILER

FST990 model with Signature Package which includes:

- 100-gallon DEF system
- Solar charger
- 40 gpm pump
- Aluminum rims
- Hydraulic jack included





TOREQ® SCRAPER



- Capacity heaped: 9.1 cubic yds
- Width of cut: 86"
- Tire size (front): 13.5 x 16.1, R3 Tread, 10 ply
- Tire size (rear): 16.9 x 24, R-3 tread, 10 ply

POINT ITEMS

WESTFIELD® AUGER

- MKX² 13" x 94' model
- Low-profile swing-away
- Rated capacity: 11,000 BPH
- New open discharge spout
- Adjustable axles
- · Rigid steel trussing



POLARIS® XPEDITION ADV 5 NORTHSTAR



- 5-person seating
- 114 horsepower
- Prostar 1000 Gen 2 Engine
- On-demand true AWD/2WD/VersaTrac turf mode
- Full cab system including heat/AC, winch and more!

POLARIS® RANGER XD NORTHSTAR PREMIUM



- 6-person seating
- 110 horsepower
- 1500cc engine & STEELDRIVE transmission
- 3,500lb towing capacity & 1,500lb box capacity
- Full cab system including heat/AC, winch and more!

TO MAKE OUR LINEUP, CORN HYBRIDS AND SOYBEAN VARIETIES ARE TESTED OVER AND OVER AGAIN ACROSS MINNESOTA, NORTH DAKOTA AND SOUTH DAKOTA IN VARIOUS GROWING CONDITIONS.



IT'S ONLY THEN, WHEN WE'RE SATISFIED IT MEETS OUR CRITERIA, THAT WE'RE CONFIDENT PUTTING OUR NAME ON IT. WE HAVE LOCAL EXPERTS PROVIDING SEED SOLUTIONS FOR THE LAND WE GREW UP ON.

"WE WILL SELL NO SEED WE WOULDN'T BE happy TO PLANT ON OUR OWN FARM."

- CARL PETERSON, PRESIDENT

3104 164TH AVE SE • HARWOOD, ND • PETERSONFARMSSEED.COM • 866-481-7333